

10/579,938

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

L * * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 14:15:22 ON 18 SEP 2008

=> file reg

=>

Uploading C:\Program Files\Stnexp\Queries\10579938.str



chain nodes :

19 20 21 23 24

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18

chain bonds :

7-11 8-19 9-20 10-21 15-23 18-24

ring bonds :

1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-14 11-12 12-13 13-14
13-15 14-18 15-16 16-17 17-18

10/579,938


exact/norm bonds :
4-5 4-6 5-9 6-7 7-8 8-9 8-19 10-11 10-14 15-23 18-24
exact bonds :
1-2 1-5 2-3 3-4 7-11 9-20 10-21 11-12 12-13
normalized bonds :
13-14 13-15 14-18 15-16 16-17 17-18
isolated ring systems :
containing 1 : 10 :

G1:H,Cl,F,X

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
20:CLASS 21:CLASS 23:CLASS 24:CLASS

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



G1 H,Cl,F,X

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full
L3 22 SEA SSS FUL L1

10/579,938

=> file ca

=> s l3

L4 1 L3

=> d ibib abs fhitr

L4 ANSWER 1 OF 1 CA COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 143:26642 CA

TITLE: Preparation of indolyl-substituted
thieno[3,4-b]pyrazin-3-one derivatives for treating
hyperproliferative disorders and diseases associated
with angiogenesis

INVENTOR(S): Cook, James; Bi, Cheng; Ladouceur, Gaetan

PATENT ASSIGNEE(S): Bayer Pharmaceuticals Corporation, USA

SOURCE: PCT Int. Appl., 93 pp.

CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005051957	A1	20050609	WO 2004-US37208	20041104
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2545478	A1	20050609	CA 2004-2545478	20041104
EP 1687313	A1	20060809	EP 2004-819518	20041104
R: DE, ES, FR, GB, IT				
JP 2007512331	T	20070517	JP 2006-541239	20041104
US 20070105851	A1	20070510	US 2006-579938	20060519
PRIORITY APPLN. INFO.:			US 2003-524359P	P 20031121
			WO 2004-US37208	W 20041104
OTHER SOURCE(S):	MARPAT 143:26642			
GI				




AB Title compds. I [R1 = H, F, Cl; R2 = H, OH, CN, halo, etc.; R3 = H, halo, alkyl, alkoxy; R4 = H, F, Cl] are prepared For instance, II is prepared in 3 steps from 1H-indole-5-carbonitrile, di-Me oxalate and 3,4-diaminothiophene dihydrobromide. I are useful for treating hyper-proliferative disorders and diseases associated with angiogenesis [no data].

IT 853056-00-5P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of indolyl-substituted thieno[3,4-b]pyrazin-3-one derivs. for treating hyperproliferative disorders and diseases associated with angiogenesis)

RN 853056-00-5 CA

CN 1H-Indole-5-carbonitrile, 2-(3,4-dihydro-3-oxothieno[3,4-b]pyrazin-2-yl)-
(CA INDEX NAME)



REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/579,938

=> file marpat

=> s l1 full

5 1 SEA SSS FUL L1

=> d ibib abs

L5 ANSWER 1 OF 1 MARPAT COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 143:26642 MARPAT

TITLE: Preparation of indolyl-substituted
thieno[3,4-b]pyrazin-3-one derivatives for treating
hyperproliferative disorders and diseases associated
with angiogenesis

INVENTOR(S): Cook, James; Bi, Cheng; Ladouceur, Gaetan

PATENT ASSIGNEE(S): Bayer Pharmaceuticals Corporation, USA

SOURCE: PCT Int. Appl., 93 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English



FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005051957	A1	20050609	WO 2004-US37208	20041104
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2545478	A1	20050609	CA 2004-2545478	20041104
EP 1687313	A1	20060809	EP 2004-819518	20041104
R:	DE, ES, FR, GB, IT			
JP 2007512331	T	20070517	JP 2006-541239	20041104
US 20070105851	A1	20070510	US 2006-579938	20060519
PRIORITY APPLN. INFO.:			US 2003-524359P	20031121
			WO 2004-US37208	20041104

GI

10/579,938




AB Title compds. I [R1 = H, F, Cl; R2 = H, OH, CN, halo, etc.; R3 = H, halo, alkyl, alkoxy; R4 = H, F, Cl] are prepared For instance, II is prepared in 3 steps from 1H-indole-5-carbonitrile, di-Me oxalate and 3,4-diaminothiophene dihydrobromide. I are useful for treating hyper-proliferative disorders and diseases associated with angiogenesis [no data].

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file reg

=>

Uploading C:\Program Files\Stnexp\Queries\938.str



10/579,938


```
chain nodes :
19
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
chain bonds :
7-11 8-19
ring bonds :
1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-14 11-12 12-13 13-14
13-15 14-18 15-16 16-17 17-18
exact/norm bonds :
4-5 4-6 5-9 6-7 7-8 8-9 8-19 10-11 10-14
exact bonds :
1-2 1-5 2-3 3-4 7-11 11-12 12-13
normalized bonds :
13-14 13-15 14-18 15-16 16-17 17-18
isolated ring systems :
containing 1 : 10 :
```

G1:H,Cl,F,X

```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
```

L6 STRUCTURE UPLOADED

```
=> d 16
L6 HAS NO ANSWERS
L6 STR
```



G1 H,Cl,F,X

Structure attributes must be viewed using STN Express query preparation.

10/579,938

=> s l6 full

FULL SEARCH INITIATED 14:17:15 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 746 TO ITERATE

100.0% PROCESSED 746 ITERATIONS

22 ANSWERS

SEARCH TIME: 00.00.01

L7 22 SEA SSS FUL L6

=> d his

(FILE 'HOME' ENTERED AT 14:15:22 ON 18 SEP 2008)

FILE 'REGISTRY' ENTERED AT 14:15:31 ON 18 SEP 2008

L1 STRUCTURE UPLOADED

L2 1 S L1 SAM

L3 22 S L1 FULL

FILE 'CA' ENTERED AT 14:15:54 ON 18 SEP 2008

L4 1 S L3

FILE 'MARPAT' ENTERED AT 14:16:07 ON 18 SEP 2008

L5 1 S L1 FULL


FILE 'REGISTRY' ENTERED AT 14:16:34 ON 18 SEP 2008

L6 STRUCTURE UPLOADED

L7 22 S L6 FULL

=>

Uploading C:\Program Files\Stnexp\Queries\579938.str



ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14

chain bonds :

7-11

ring bonds :

1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-14 11-12 12-13 13-14

exact/norm bonds :

4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-14

exact bonds :

1-2 1-5 2-3 3-4 7-11 11-12 12-13 13-14

isolated ring systems :

10/579,938

containing 1 : 10 :

G1:H,Cl,F,X

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom

L8 STRUCTURE UPLOADED

=> s l8 full

L9 0 SEA SSS FUL L8

=> file reg

=> d his

(FILE 'HOME' ENTERED AT 14:15:22 ON 18 SEP 2008)

FILE 'REGISTRY' ENTERED AT 14:15:31 ON 18 SEP 2008

L1 STRUCTURE UPLOADED

L2 1 S L1 SAM

L3 22 S L1 FULL

FILE 'CA' ENTERED AT 14:15:54 ON 18 SEP 2008

L4 1 S L3

FILE 'MARPAT' ENTERED AT 14:16:07 ON 18 SEP 2008

L5 1 S L1 FULL

FILE 'REGISTRY' ENTERED AT 14:16:34 ON 18 SEP 2008

L6 STRUCTURE UPLOADED

L7 22 S L6 FULL

L8 STRUCTURE UPLOADED


L9 0 S L8 FULL

FILE 'REGISTRY' ENTERED AT 14:20:36 ON 18 SEP 2008

=>

Uploading C:\Program Files\Stnexp\Queries\9938.str

10/579,938



```
ring nodes :
1  2  3  4  5  6  7  8  9  10  11
chain bonds :
4-8
ring bonds :
1-3  1-2  2-6  3-4  4-5  5-6  7-8  7-11  8-9  9-10  10-11
exact/norm bonds :
1-3  1-2  2-6  3-4  4-5  5-6  7-8  7-11
exact bonds :
4-8  8-9  9-10  10-11
isolated ring systems :
containing 7 :
```


G1:H,C1,F,X

```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom
```

L10 STRUCTURE UPLOADED

```
=> d l10
L10 HAS NO ANSWERS
L10 STR
```

10/579,938



G1 H,Cl,F,X

Structure attributes must be viewed using STN Express query preparation.

=> s l10 full

L12 207 SEA SSS FUL L10

=> file ca

=> s l12

L13 75 L12

=> d his

(FILE 'HOME' ENTERED AT 14:15:22 ON 18 SEP 2008)

FILE 'REGISTRY' ENTERED AT 14:15:31 ON 18 SEP 2008

L1 STRUCTURE UPLOADED

L2 1 S L1 SAM

L3 22 S L1 FULL

FILE 'CA' ENTERED AT 14:15:54 ON 18 SEP 2008

L4 1 S L3

FILE 'MARPAT' ENTERED AT 14:16:07 ON 18 SEP 2008

L5 1 S L1 FULL

FILE 'REGISTRY' ENTERED AT 14:16:34 ON 18 SEP 2008

L6 STRUCTURE UPLOADED

L7 22 S L6 FULL

L8 STRUCTURE UPLOADED

L9 0 S L8 FULL

FILE 'REGISTRY' ENTERED AT 14:20:36 ON 18 SEP 2008

L10 STRUCTURE UPLOADED

L11 10 S L10 SAM

10/579,938

L12 207 S L10 FULL

 FILE 'CA' ENTERED AT 14:22:04 ON 18 SEP 2008
L13 75 S L12

=> s l13 not l4

L14 75 L13 NOT L4

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

STN INTERNATIONAL LOGOFF AT 14:22:41 ON 18 SEP 2008